




## ACS Type Heavy Duty Collector Tank Sprockets



### ACS13103W Heavy Duty Collector Tank Sprockets

All dimensions are in inches unless otherwise specified.

#### 4.063 Pitch

No. of Teeth	Outside Diameter	Pitch Diameter	Bore Diameter		Hub Diameter	Hub Length	Tooth Thickness	Approximate Weight (lbs./piece)
			Minimum	Maximum				
	<b>D<sub>O</sub></b>	<b>D<sub>P</sub></b>	<b>d</b>	<b>d</b>	<b>D<sub>H</sub></b>	<b>L</b>	<b>T</b>	
9	12.913	11.878	1.969	3.150	5.118	4.331	.866	37
9	12.913	11.878	2.362	3.543	5.512	4.331	.866	40
9	12.913	11.878	2.756	3.937	5.906	4.331	.866	42
10	14.173	13.148	1.969	3.150	5.118	4.331	.866	42
10	14.173	13.148	2.362	3.543	5.512	4.331	.866	44
10	14.173	13.148	2.756	3.937	5.906	4.331	.866	46
11	15.433	14.421	1.969	3.150	5.118	4.331	.866	44
11	15.433	14.421	2.362	3.543	5.512	4.331	.866	46
11	15.433	14.421	2.756	3.937	5.906	4.331	.866	48
12	16.693	15.697	1.969	3.150	5.118	4.331	.866	48
12	16.693	15.697	2.362	3.543	5.512	4.331	.866	51
12	16.693	15.697	2.756	3.937	5.906	4.331	.866	53
13	17.992	16.976	1.969	3.150	5.118	4.331	.866	55
13	17.992	16.976	2.362	3.543	5.512	4.331	.866	57
13	17.992	16.976	2.756	3.937	5.906	4.331	.866	59

Note: Sprockets with different number of teeth are available upon request.

**ACS13152W Heavy Duty Collector Tank Sprockets**

All dimensions are in inches unless otherwise specified.

<b>6.000 Pitch</b>								
No. of Teeth	Outside Diameter	Pitch Diameter	Bore Diameter		Hub Diameter	Hub Length	Tooth Thickness	Approximate Weight (lbs./piece)
			Minimum	Maximum				
	<b>D<sub>O</sub></b>	<b>D<sub>P</sub></b>	<b>d</b>	<b>d</b>	<b>D<sub>H</sub></b>	<b>L</b>	<b>T</b>	
9	18.543	17.543	2.362	3.937	5.906	5.118	.866	66
9	18.543	17.543	2.756	4.331	6.693	5.118	.866	75
9	18.543	17.543	3.150	4.724	7.087	5.118	.866	79
10	20.394	19.417	2.362	3.937	5.906	5.118	.866	73
10	20.394	19.417	2.756	4.331	6.693	5.118	.866	81
10	20.394	19.417	3.150	4.724	7.087	5.118	.866	86
11	22.283	21.295	2.362	3.937	5.906	5.118	.866	81
11	22.283	21.295	2.756	4.331	6.693	5.118	.866	90
11	22.283	21.295	3.150	4.724	7.087	5.118	.866	95
12	23.134	23.181	2.362	3.937	5.906	5.118	.866	92
12	23.134	23.181	2.756	4.331	6.693	5.118	.866	101
12	23.134	23.181	3.150	4.724	7.087	5.118	.866	106



**ACS15152W Heavy Duty Collector Tank Sprockets**

<b>6.000 Pitch</b>								
No. of Teeth	Outside Diameter	Pitch Diameter	Bore Diameter		Hub Diameter	Hub Length	Tooth Thickness	Approximate Weight (lbs./piece)
			Minimum	Maximum				
	<b>D<sub>O</sub></b>	<b>D<sub>P</sub></b>	<b>d</b>	<b>d</b>	<b>D<sub>H</sub></b>	<b>L</b>	<b>T</b>	
9	18.504	17.543	2.362	3.937	5.906	5.118	.866	66
9	18.504	17.543	2.756	4.331	6.693	5.118	.866	75
9	18.504	17.543	3.150	4.724	7.087	5.118	.866	79
10	20.354	19.417	2.362	3.937	5.906	5.118	.866	73
10	20.354	19.417	2.756	4.331	6.693	5.118	.866	81
10	20.354	19.417	3.150	4.724	7.087	5.118	.866	86
11	22.244	21.295	2.362	3.937	5.906	5.118	.866	81
11	22.244	21.295	2.756	4.331	6.693	5.118	.866	90
11	22.244	21.295	3.150	4.724	7.087	5.118	.866	95
12	24.094	23.181	2.362	3.937	5.906	5.118	.866	92
12	24.094	23.181	2.756	4.331	6.693	5.118	.866	101
12	24.094	23.181	3.150	4.724	7.087	5.118	.866	106



## ACS Type Heavy Duty Collector Tank Sprockets

(Continued)



### ACS19152W Heavy Duty Collector Tank Sprockets

All dimensions are in inches unless otherwise specified.

#### 6.000 Pitch

No. of Teeth	Outside Diameter	Pitch Diameter	Bore Diameter		Hub Diameter	Hub Length	Tooth Thickness	Approximate Weight (lbs./piece)
			Minimum	Maximum				
	<b>D<sub>O</sub></b>	<b>D<sub>P</sub></b>	<b>d</b>	<b>d</b>	<b>D<sub>H</sub></b>	<b>L</b>	<b>T</b>	
9	18.504	17.543	3.150	4.724	7.087	5.512	.984	81
9	18.504	17.543	3.543	5.118	7.480	5.512	.984	86
9	18.504	17.543	3.937	5.512	8.268	5.512	.984	97
10	20.354	19.417	3.150	4.724	7.087	5.512	.984	88
10	20.354	19.417	3.543	5.118	7.480	5.512	.984	92
10	20.354	19.417	3.937	5.512	8.268	5.512	.984	103
11	22.244	21.295	3.150	4.724	7.087	5.512	.984	97
11	22.244	21.295	3.543	5.118	7.480	5.512	.984	101
11	22.244	21.295	3.937	5.512	8.268	5.512	.984	112
12	24.094	23.181	3.150	4.724	7.087	5.512	.984	106
12	24.094	23.181	3.543	5.118	7.480	5.512	.984	110
12	24.094	23.181	3.937	5.512	8.268	5.512	.984	121

Note: Sprockets with different number of teeth are available upon request.

**ACS25152W Heavy Duty Collector Tank Sprockets**

All dimensions are in inches unless otherwise specified.

<b>6.000 Pitch</b>								
No. of Teeth	Outside Diameter	Pitch Diameter	Bore Diameter		Hub Diameter	Hub Length	Tooth Thickness	Approximate Weight (lbs./piece)
			Minimum	Maximum				
	<b>D<sub>O</sub></b>	<b>D<sub>P</sub></b>	<b>d</b>	<b>d</b>	<b>D<sub>H</sub></b>	<b>L</b>	<b>T</b>	
9	18.504	17.543	3.150	4.724	7.087	5.512	.984	81
9	18.504	17.543	3.543	5.118	7.480	5.512	.984	86
9	18.504	17.543	3.937	5.512	8.268	5.512	.984	97
10	20.354	19.417	3.150	4.724	7.087	5.512	.984	88
10	20.354	19.417	3.543	5.118	7.480	5.512	.984	92
10	20.354	19.417	3.937	5.512	8.268	5.512	.984	103
11	22.244	21.295	3.150	4.724	7.087	5.512	.984	97
11	22.244	21.295	3.543	5.118	7.480	5.512	.984	101
11	22.244	21.295	3.937	5.512	8.268	5.512	.984	112
12	24.094	23.181	3.150	4.724	7.087	5.512	.984	106
12	24.094	23.181	3.543	5.118	7.480	5.512	.984	110
12	24.094	23.181	3.937	5.512	8.268	5.512	.984	121

**ACS35152W Heavy Duty Collector Tank Sprockets**

<b>6.000 Pitch</b>								
No. of Teeth	Outside Diameter	Pitch Diameter	Bore Diameter		Hub Diameter	Hub Length	Tooth Thickness	Approximate Weight (lbs./piece)
			Minimum	Maximum				
	<b>D<sub>O</sub></b>	<b>D<sub>P</sub></b>	<b>d</b>	<b>d</b>	<b>D<sub>H</sub></b>	<b>L</b>	<b>T</b>	
9	18.898	17.543	3.150	4.724	7.087	5.512	1.260	101
9	18.898	17.543	3.543	5.118	7.480	5.512	1.260	106
9	18.898	17.543	3.937	5.512	8.268	5.512	1.260	114
10	20.748	19.417	3.150	4.724	7.087	5.512	1.260	110
10	20.748	19.417	3.543	5.118	7.480	5.512	1.260	114
10	20.748	19.417	3.937	5.512	8.268	5.512	1.260	123
11	22.598	21.295	3.150	4.724	7.087	5.512	1.260	123
11	22.598	21.295	3.543	5.118	7.480	5.512	1.260	128
11	22.598	21.295	3.937	5.512	8.268	5.512	1.260	136
12	24.449	23.181	3.150	4.724	7.087	5.512	1.260	136
12	24.449	23.181	3.543	5.118	7.480	5.512	1.260	141
12	24.449	23.181	3.937	5.512	8.268	5.512	1.260	150